PLASTICS INC. POLYETHYLENE ACIETALIS



Your first choice for liquid storage.

PLASTICS INC. POLYETHYLENE



AGRI-TANKS



MISSION STATEMENT

We are committed to supplying value to our customers, through the provision of acceptable, consistent quality products, delivered on-time, that exceed our customer's expectations. We wish our customers to view RTS as a responsive, innovative, and dependable supplier.

PROFILE

RTS polyethylene tanks are manufactured in Ontario to strict ISO 9001:2015 quality guidelines to ensure years of customer satisfaction. Impact resistant, non-corrosive, one-piece seamless linear polyethylene construction allows RTS tanks to be used for the storage of most liquid fertilizers, herbicides, insecticides and fungicides, as well as a wide range of industrial chemicals. RTS tanks are manufactured using food grade approved resin to ensure safe storage of potable water.

With 30 years of rotational molding experience, and computer directed roto molding machines, RTS is able to combine quality products and competitive prices to meet the challenges facing agricultural markets.

VERTICAL CLOSED TOP TANKS

rtsplastics.com

RTS Vertical Storage Tanks

RTS Vertical Storage Tanks (VST) are maunfactured using FDA natural white resin and are suitable for potable water.

DTC DRODUCT #	RTS MODEL#	SIDEWALL CAPACITY			DIMENSIONS	
RTS PRODUCT #		IG	USG	Litres	d x h	
1075-12223A-00-00	VST-25 AG	22	25	100	22" x 20"	
1075-12239A-00-00	VST-50 AG	44	50	200	22" x 36"	
1075-12255A-00-00	VST-80 AG	66	80	300	22" x 51"	
1075-12648A-00-00	VST-105 AG	88	105	400	26" x 51"	
1075-34625A-00-00	VST-150 AG PU	125	150	565	46" x 26"	
1075-13070A-00-00	VST-175 AG	175	210	795	31" x 75"	
1075-34648A-00-00	VST-300 AG PU	250	300	1135	46" x 48"	
1075-34662A-00-00	VST-400 AG	350	400	1510	46" x 62"	
1075-35862A-00-00	VST-600 AG	500	600	2270	58"x 62"	
1075-38070A-00-00	VST-1045 AG	1045	1250	4750	80" x 70"	
1075-38079A-00-00	VST-1210 AG	1210	1450	5500	80" x 79"	
1075-38679A-00-00	VST-1360 AG	1360	1600	6000	86" x 79"	
1075-90100A-00-00	VST-2000 AG	2000	2500	9000	90" x 100"	
1075-90121A-00-00	VST-2500 AG	2500	3000	11000	90" x 121"	

PU - Denotes tank is a pick-up truck model as well as a vertical storage tank (no cut-outs for wheel wells) **VST 25 -105** - Complete with 6" screw cap/gasket, calibration (L/USG) and a 1-1" bulkhead connection **VST 150 - 1775** - Complete with 16" manway, calibrations (L/IMP/USG) and a 1-2" bulkhead connection/siphon **VST 2000 - 2500** - Complete with 18" manway, calibrations (L/IMP/USG) and a 1-3" bulkhead connection/siphon


Additional information and tank spec sheets can be found at rtsplastics.com



Standard AGRI-TANK Features

Standard features include:

- deep tie-down lugs
- drain / siphon
- vented manway or
- screw cap with gasket



Calibration (on most models)









Tie-Down Lugs



2" Bulkhead / Siphon



16" Manway

RTS Dispensing Tanks

RTS Plastics' new line of Dispensing Tanks are rotationally molded in one piece using Linear Medium Density Polyethylene in 4 sizes.

RTS PRODUCT #	RTS MODEL #	SIDEWALL CAPACITY			DIMENSIONS	
		IG	USG	Litres	d x h	
1865-12434A-00-00	DSPT-50 IG	50	60	240	26.5" x 56"	
1865-12450A-00-00	DSPT-80 IG	80	95	360	26.5" x 72"	
1865-13050A-00-00	DSPT-125 IG	125	150	560	33" x 75"	
1865-13070A-00-00	DSPT-175 IG	175	210	790	33" x 95.5"	

Dispensing Tank dimensions include tank and stand.

DSPT - Complete with 1" welded boss and 6" Cap with EPDM Gasket

RTS Dispensing Tank Stands

RTS PRODUCT #	RTS MODEL #	DIMENSIONS dxh	
1850-02401T-80-00	24" DSPT Stand	26.5" x 21"	
1850-03001T-80-00	30" DSPT Stand	33" x 21"	

Additional information and tank spec sheets can be found at rtsplastics.com

Standard Dispensing Tank Features

RTS Dispensing Tanks are UV stabilized for long-term outdoor use and are perfect for storing non-corrosive and food grade liquids.

Stands Available in Blue or Black

Suitable for farm, greenhouse or other outdoor applications.



RTS Horizontal Tanks

RTS Plastics' Horizontal Tanks are rotationally molded in one piece using High-Density Polyethylene (HDPE) and come in a variety of sizes and capacities. Low profile design makes these tanks suitable for safely storing and transporting liquids with a specific gravity higher than 1.0.


RTS PRODUCT #	RTS MODEL#	CAPACITY			DIMENSIONS	OUTLET	
		IG	USG	Litres	dxlxh	SIZE	
1229-00030B-00-1C	HLT-25	25	30	114	23" x 20" x 26"	N/A	
1229-00060B-00-1C	HLT-50	50	60	225	23" x 38.5" x 26"	3/4"	
1099-13444A-00-00	HLT-130	130	150	560	35" x 44" x 38"	3/4"	
1229-00230B-00-1C	HLT-200	200	240	900	37" x 51.5" x 41"	1 1/4"	
1099-13476A-00-00	HLT-250	250	300	1135	34.5" x 76" x 43"	1 1/4"	
1229-00300B-00-1C	HLT-250	250	300	1135	38" x 72" x 43"	1 1/4"	
1229-00335B-00-1C	HLT-275	275	335	1265	44" x 56" x 49"	1 1/4"	
1229-00525B-00-1C	HLT-440	440	525	2000	48" x 75" x 51.5"	1 1/4"	
1229-00625B-00-1C	HLT-625	625	750	2800	46" x 116.5" x 49"	2"	
1229-00850B-00-1C	HLT-850	850	1020	3800	48" x 139" x 49"	2"	
1229-02000B-00-1C	HLT-1660	1660	1990	7540	84" x 142" x 55"	3"	
1229-03000B-00-1C	HLT-2500	2500	3000	11300	92" x 142" x 76"	3"	

All capacities and dimensions are approximate. See drawings for details.

Additional information and tank spec sheets can be found at rtsplastics.com















RTS Services

